



Version 2.0

Approval Body:	Council				
Endorsement Date:	TBC 2023				
Current Version:	2.0 (to replace the Leisure Facilities Development Plan Policy)				
Compulsory Review Cycle:	4 years				
Review Date:	TBC 2027				
	It is recognised that, from time to time, circumstances may change leading to the need for minor administrative changes to this document. Where an update does not materially alter this document, such a change may be made administratively.				
	Examples include a change to the name of a Council department, a change to the name of a Federal or State Government department, and a minor update to legislation which does not have a material impact. However, any change or update which materially alters this document must be by resolution of ELT.				
Responsible Department:	City and Asset Planning				
Responsible Team:	Recreation and Open Space Planning				
Relevant Legislation:	Not applicable				
Relevant Council Documents:	Infrastructure Strategy Open Space Strategy Environmentally Sustainable Design Building Policy				
ECM ID:	17377483				

CONTENTS

i.	Statement of Acknowledgement	3
ii.	Diversity Statement	3
iii.	Fair Access Statement	3
iv.	Statement of Commitment to Child Safety	3
1. Pu	urpose and Intent	4
2. Sc	cope	4
3. De	efinitions	4
4. WI	ho Is This Document For?	4
7. Pr	rovision Ratios	6
8. Sp	ports Facilities Hierarchy	7
9. Sp	ports Facilities Hierarchy Standards	7
9.1 S	Sports Facilities Hierarchy Standards Tables	9
Athle	etics	9
Aust	tralian Rules Football	10
Base	eball	11
Bow	/ls	12
Crick	ket	13
Gym	nnastics	14
Hock	key	15
Netb	pall (outdoor)	16
Rugk	by League	17
Rugk	by Union	18
Foot	tball (Soccer)	19
Softk	ball	20
Tenn	nis	21
10. lr	ndoor Sports Hierarchy	22
11. R	Relevant Forms	23
12 D	Document History	23

i. Statement of Acknowledgement

The City of Casey proudly acknowledges the traditional owners, Casey's Aboriginal communities and their rich culture and pays respect to their Elders past, present and future.

We acknowledge Aboriginal people as Australia's first peoples and as the traditional owners and custodians of the land on which we work and live.

ii. Diversity Statement

The City of Casey is home to a remarkable diversity of cultures, languages, faiths, identities, landscapes, and stories. From our first Australians to our most recent arrivals and every wave between, the City of Casey welcomes and represents all community members and their respective ambitions to live healthy, rewarding, and happy lives. These intersecting and overlapping community stories form Casey's collective identity and contribute to its evolving, rich history. We recognise this diversity as our strength and we aim to share, nurture, and celebrate it.

iii. Fair Access Statement

This Statement of Intent establishes the expectation that gender equality is considered and prioritised in all current and future City of Casey's planning, policy, service delivery and practice as they relate to community sports infrastructure.

- A. The City of Casey recognises that gender equality is the attainment of equal rights, responsibilities, and opportunities of women, men, trans and gender diverse people. Equality does not mean that women, men, trans and gender diverse people will become the same but that their rights, responsibilities, and opportunities will not depend on their gender.
- B. The City of Casey recognises that gender equity is the provision of fairness and justice in the distribution of benefits and responsibilities based on gender. The concept recognises that people may have different needs and power related to their gender and these differences should be identified and addressed in a manner that rectifies gender related imbalances.

iv. Statement of Commitment to Child Safety

All children and young people who attend services, programs and events delivered by, and spaces owned or managed by the City of Casey, have the right to feel and be safe. The wellbeing and safety of children and young people in our care will always be our priority.

Council has a zero-tolerance of child abuse and is committed to creating and maintaining a child safe and child friendly organisation where all children are valued and protected from abuse, harm and neglect.

The City of Casey is committed to creating and maintaining a child safe organisation where protecting children from abuse, harm and neglect is embedded in the everyday thinking and practice of Council, its employees, contractors and volunteers.

1. Purpose and Intent

Vision:

To deliver sports infrastructure now and into the future to improve the liveability of the City for all residents and visitors.

Purpose:

This document details Council's commitment to ensuring a varied, equitable and consistent approach to the development of new and improvement of existing sporting facilities.

2. Scope

The Framework focuses on 17 identified sports. These sports were selected largely based on the highest organised sport participation levels nationally and in Victoria for both adults and children. Consideration was also given to the City of Casey's demographics and participation trends.

The sports included in this Framework are:

Australian Rules Football	Cricket	Hockey	Softball
Tennis	Basketball	Lawn Bowls	Table Tennis
Soccer	Athletics	Baseball	Martial Arts
Rugby League & Union	Netball	Gymnastics	Badminton

Sports not considered within the Sports Facilities Framework will be assessed on a case-by-case basis with the relevant Sporting Organisation. Proposals to Council should include a business case outlining participation data and forecasts, and other supporting information.

3. Definitions

Council	means City of Casey, being a body corporate constituted as a municipal Council under the Local Government Act 2020
Council officers	means the Chief Executive Officer and staff of Council appointed by the Chief Executive Officer
Leisure Facilities Development Plan Policy (LFDP)	the document adopted by Council in 2009 and reviewed in 2014 which guides the future planning, provision and development of sporting facilities throughout the City of Casey
Sports facilities	Land set aside to provide for organised sport including sports reserves and indoor sports facilities
Sports Facilities Framework (SFF)	the document adopted by Council in 2023 which guides the future planning, provision and development of sporting facilities throughout the City of Casey. Supersedes the Leisure Facilities Development Plan Policy (LFDP)

4. Who Is This Document For?

The target audience of the Sports Facilities Framework (the Framework) includes but is not limited to:

- The community: the Framework guides the future planning, provision and development of sporting facilities that Council will provide.
- Council officers: who plan, design and deliver sports facilities for our community.
- State and Federal government and agencies: the Framework guides the future planning, provision and development of sporting facilities that Council will provide.
- Industry (Sporting Associations and the development sector): The Framework outlines the standard of amenity that should be provided.

5. Context and Conditions

The City of Casey provides facilities that support a range of sport and recreation opportunities across the municipality. These add to the culture, lifestyle and character of the region as well as enhance the liveability of the City.

The benefits associated with participating in sport and physical activity include personal enjoyment, social interaction, physical and mental health, personal achievement, community involvement, community resilience and opportunities for expression of community pride.

Participation in a broad range of sporting activities has the potential to improve physiological and mental health, contribute to personal development, improve well-being and assist in social learning including tolerance, respect, cooperation and leadership.

In response to Council's commitment to community sport, this document guides the future planning, provision and development of sporting facilities throughout the City of Casey.

The Sports Facilities Framework (SFF) replaces the Leisure Facilities Development Plan Policy (LFDP), originally adopted in 2009 and reviewed in 2014. Despite the name change, minor modifications have been made to the document to ensure the content remains consistent with current day planning

Council's role in sport and recreation provision will vary depending on the issue/s being addressed and sit within one of the following four categories:

Plan:

Facilitate planning, development and renewal of sports facilities to address identified (current and future) community needs.

Provide:

Support the provision of sports facilities, to meet the needs of the current and future community.

Partner:

Work in collaboration and/or partnership with Government (Local, State and Federal e.g. neighbouring local government areas), schools, clubs, State Sporting Associations or National Sporting Organisations, Leagues and community groups to ensure that sports facilities, meet the needs of the current and future community.

Advocate & Inform:

Advocate to other levels of Government and relevant stakeholders regarding issues and opportunities that are likely to impact on sport facilities in the City of Casey.

6. Principles

The following principles will guide the future planning and development of sports facilities in Casey:

- Provide a sufficient number and range of sports facilities to cater for demand in line with the recommended facility provision ratios.
- Provide an appropriate hierarchy of sports facility types and standards that support a diverse range of sports participation opportunities and athlete pathway development (i.e. Regional, Municipal, District and Local facilities).
- Provide community sports infrastructure and environments that are genuinely welcoming, safe, accessible and inclusive.
- Ensure women, girls and gender diverse people will have equitable access to and use of community sports infrastructure.
- Planning and design of sporting facilities considers the safety and wellbeing of children and young people.
- Where appropriate, develop multi-sport facilities and recreation areas at one location (i.e. multi-sport recreation reserves, precincts or hubs) rather than developing single-use or stand-alone facilities.
- Maximise opportunities for shared-use of sports facilities by clubs, community groups, and individuals (e.g. as venues for meetings and social functions, and for informal recreation/sporting activity).



- Incorporate sustainable water management and environmentally sustainable design practices into new recreation reserves and sports pavilions and facility renewals, in accordance with Council's Environmentally Sustainable Design Building Policy.
- Incorporate the principles of Universal Design to maximise access and inclusion for all sectors of the community in the development of sport and recreation facilities and infrastructure.
- Maximise opportunities for broader community use of recreation reserves (sports grounds and sports fields) by incorporating passive recreation infrastructure such as a perimeter paths, in accordance with Councils Open Space Strategy.
- Where appropriate, incorporate non-sporting recreation spaces, such as playgrounds, BBQ / picnic areas and public art within broad-acre sports grounds and sports fields, in accordance with Councils Open Space Strategy.
- Facilitate appropriate partnerships with government agencies, schools, clubs or groups in order to help fund and manage selected sporting facilities to meet overall demand.
- Where practical, locate and integrate sports reserves within broader open space networks and linear open space corridors to improve their appeal, functionality, usage flexibility and ease of access (including active transport).

7. Provision Ratios

Provision ratios have been developed for the identified sports/activities based on an assessment of the adequacy of existing provision (i.e. actual facility ratio's within Casey), consultation results, demand assessment and industry research, including participation trends.

The table below summarises the ratio's used in the Framework to service a projected population of 550,000. Whilst these ratios reflect ideal provisions based on population, Council acknowledges other contributing factors to achieving these targets, including:

- land availability
- budget constraints
- changing demands and participation trends

Sport / Activity	Ratio
Athletics	1:75,000
AFL	1:4,250
Badminton	24 courts =12 dedicated + 12 non dedicated courts
Baseball	1:50,000
Basketball	1:8,000
Cricket	1:3,000
Football (Soccer)	1:4,500
Gymnastics	7 facilities – 4 Council and 3 Non-Council
Hockey	1:90,000
Lawn Bowls	1:15,000
Martial Arts	To be considered as part of future leisure and community centres.
Netball - Indoor	1:5,000
Netball - Outdoor	1:5,000
Rugby League	1:62,500
Rugby Union	1:62,500

Softball	1:37,500
Table Tennis	12 dedicated courts
Tennis	1:2,300

8. Sports Facilities Hierarchy

The City of Casey's hierarchy of sports facilities is:

Local Facilities:

Local level sports facilities primarily cater for junior training and competition both summer and winter. Senior cricket could be considered at these venues as overflow facilities to a club's main ground.

Local sports facilities are generally built and maintained to a basic standard and typically include Council venues co-located with school sites, or development of joint-use facilities within school grounds.

• Examples within Casey: Junction Village Reserve, Banjo Patterson Reserve and joint-use school ovals such as Cranbourne West Secondary College commonly used for cricket.

District Facilities:

District level facilities will principally attract people from within Casey and will cater for senior and junior training and competition. District venues are usually the home facility for clubs. District sports facilities will generally serve a catchment of approximately 10,000 households, or population of up to 30,000 people.

 Examples within Casey: Livingston Recreation Reserve, , Reema Reserve, Narre Warren Bowls Club, and Pearcedale Tennis Club.

Municipal Facilities:

Municipal facilities will generally service a City-wide catchment (or large parts thereof) due to their level of specialisation, uniqueness or the standard of competition being played. Municipal facilities will principally be used by clubs based within the City; however they may also cater for those clubs affiliated with Melbourne-wide competitions, or associations/leagues.

Municipal facility provision will generally be to a higher standard than is available at Local or District venues in order to accommodate a higher level of competition or activity.

• Examples within Casey: Olive Road Sporting Complex.

(Note: many sports a 'Municipal' level of facility has not been prescribed. This aligns with State Sporting Association or National Sporting Organisations Guidelines).

Regional Facilities:

Regional sports facilities are likely to service a catchment which extends beyond the City of Casey municipal boundary due to their level of specialisation or standard of competition being played.

Regional facilities will be built and maintained to a premier standard based on the needs of specific sports / activities. They will cater for training and competition for teams in elite level competitions and may have the capacity to host national standard fixtures.

 Examples within Casey: Casey Fields Athletics, AFL, Cricket, Cycling, Rugby and Soccer, Frog Hollow Reserve and the Sweeney Reserve Tennis Centre.

9. Sports Facilities Hierarchy Standards

The City of Casey is committed to developing facilities that are reflective of the principles set out in section 6 of the Framework.

The following tables provide a summary of the recommended sizes for specific components of sports facilities. The recommended sizes are based on a review of relevant building code requirements and comparison to existing industry standards, including State Sporting Associations or National Sporting Organisations recommendations.



Spatial allowances for ancillary areas such as pedestrian circulation, service areas, foyer, etc. would be additional to the areas identified in the tables (including circulation space around the outside of the building envelope).

Pavilions:

All pavilion allowances made are based on maximum two change rooms per one playing field (football, cricket and soccer) per pavilion. Where there are two or more playing fields, Council will need to consider providing two additional changing rooms per playing field, to a maximum of six changing rooms. Change rooms are to cater for a single playing field. This represents one home team and one away team. Kitchen/canteen/office facilities to be shared if multiple tenants use the one pavilion.

Where there is an existing pavilion due for renewal or replacement, consideration of pre-existing facilities, in conjunction with contemporary practice, strategic direction, site constraints and available funding will be made.

Car Parking:

Where possible, Council provides carparking at sports facilities. New recreation reserves are guided by the Sports Facilities Hierarchy Standards. Council may not be able to achieve these standards for all existing reserves. Reserve users may need to rely on street parking during peak times.

Electronic Scoreboards:

For existing sports facilities, electronic scoreboards will be prioritised at facilities that cater for senior sport. At new facilities, electronic scoreboards will be provided in line with the Sports Facilities Hierarchy Standards tables below.

9.1 Sports Facilities Hierarchy Standards Tables

Athletics

Facility Component	Local	District	Municipal	Regional
Playing Area				
Track Surface	Temporary grass track	Permanent synthetic track – 400m circumference, 6+ lanes		Permanent synthetic track – 400m circumference, min 8 lanes and 10 straight lanes
Long Jump / Triple Jump Facility	Temporary runway	Permanent runway/s		Permanent runways/ with pit at each end
High Jump Facility	Temporary area	Permanent area		Permanent, semi-circular runway area
Pole Vault Facility				Permanent runway and box for pole
Combined Discus & Hammer Facility	Temporary throwing circles	Permanent discus circle (2.5m diameter) and hammer circle (2.135m diameter), permanent combined cage		One permanent discus circle (2.5m diameter) and hammer circle (2.135m diameter) and permanent combined cage
Javelin Facility	Temporary runway	Permanent runway (dedicated infield) or Temporary runway (non- dedicated)		Permanent runway and infield
Shot Put Facility	Temporary throwing circle and landing sector	Permanent throwing circle/s – 2.135m diameter and landing sector/s		Permanent throwing circle/s – 2.135m diameter and landing sector/s
Steeplechase Water Jump Facility				Permanently installed - 3.66m x 3.66m x 0.70m deep
Infield Facility		Automated irrigation and I	oasic drainage	system
Supporting Infrastructu	re			
Spectator Area		Some fixed seating		Tiered seating to cater for 300+ spectators, supplemented by terracing and/or embankments around half of the track
Shade				Shade sails (or equivalent) for spectators along front straight
Flood Lighting Lighting to comply to 'Australian Standard 2560 Series'		80 lux for training standard		200 lux for competition standard with switching for 80 lux for training
Track / Reserve Fencing		Permanent fence around track, no fencing around facility		Permanent fencing around track and facility
Car Parking Incl. Accessible	30+ spaces	70+ spaces		200+ spaces (sealed and/or unsealed) Bus parking provision
Electronic Timing Equipment				Advancing timing and judging equipment
Storage Pavilion				Delivered on-site at a reasonable location to aid use

Pavilion

Designed on a case-by-case basis responding to site conditions.

Notes

Synthetic track construction in accordance with guidelines as outlined in IAAF Track and Field Facilities Manual.

Australian Rules Football

Facility Component	Local	District	Municipal	Regional	
Playing Area					
Number of Ovals	1	2	3	Case-by-case basis	
			<u> </u>		
Oval Size A 5m run off from the boundary is	Min 110m x 135m to cater for senior play		Min 145m x 175	m	
required around the entire oval	to cater for serilor play				
Irrigation			Automated syste		
Sub-surface drainage		Basic system	Compre	hensive system	
Supporting Infrastruc	ture				
Spectator Seating		Some fixed seating		ter for 200-400+ spectator	
Flood Lighting	Min 50 lux training	100 lux level for		empetition with switching to	
Lighting to comply to 'Australian Standard 2560 Series'	level offered on	competition with	100 lt	ux for training	
	case-by-case basis	switching to 50 lux for training			
		ior training			
Oval Fencing			Chain mesh or equiv	/alent	
Reserve Fencing		Council to assess or		Full perimeter fencing	
Ŭ		generally not preferr	ed.	,	
Car Parking	50+ spaces (off	75+ spaces (off-		off-street, sealed and/or	
Incl. accessible	street)	street)	unsealed)		
Scoreboard	Manual only		Permanent – man	ual	
Coorcooura	Warraar Orny		Electronic for main ov		
Coach / Interchange	2 fixed shelters	3 fixed shelters	3 fixed shelters		
Shelter	8 seat capacity	8 seat capacity	8 seat capacity		
	(not for school sites) 4.8m x 1.2m	4.8m x 1.2m	6m x 1.2m		
Pavilion	4.0111 X 1.2111	4.0111 X 1.2111	OHIX 1.ZIII		
Change Room	40m²	57m²		70m ²	
Change Room	40111	07111		70111	
Showers & Toilets			25m ²		
Umpires Room	15m ²	25m ²		30m ²	
Incl. separate showers and toilets			15.0		
First Aid Room	45.2	05.0	15m ²	25 2	
Public Toilets Incl. accessible	15m ²	25m ²		35m ²	
Community space		Up to 120m ²	Ur	o to 200m ²	
Kitchen/Canteen	15m ²	20m²		30m ²	
Internal Servery	10111	12m ²		15m ²	
Storage	10m ²	12111	20m ²	10111	
One internal and one external	. 5111				
Timekeeping / Scorers			15m ²		
Office		15m ²		20m ²	
Utility/Cleaners Room			8m ²		
External Covered	48m²	161m²		217m ²	
Viewing Area Guide only					
Notes					
0	are not proposed as he	me ground venues for	single clubs		

Baseball

Facility Component	Local	District	Munici pal	Regional
Playing Area				
Number of Fields	1-2	2+		4+
Outfield	Grass	Grass		Grass
Infield	Clay/sand/dirt combo 'skinned'	Clay/sand/dirt combo 'skinned'		Clay/sand/dirt combo 'skinned'
Backstop Netting	Each field	Permanent – all fields		Permanent - all fields
Drainage	None	Basic system		Complex system
Irrigation	None	Automated system		Automated system
Supporting Infrastructu	re			
Home Run Fence	Line marking only	Line marking or chain mesh fencing		Chain mesh fencing
Side fencing	Line marking only	Line marking or chain mesh fencing		Chain mesh fencing
Batting Cage	Case-by-case basis	Required		Required
Player Dugouts	Ber	nch seating		Bench seating
Spectator Area	Some	fixed seating		Some fixed seating
Flood Lighting Lighting to comply to 'Australian Standard 2560 Series'	Case-by-case basis	100 lux infield with switching for 50 lux outfield, for training only		100 lux infield with switching for 50 lux outfield, for training only
Field Fencing	Perin	neter fencing		Perimeter fencing
Reserve Fencing	Case-	by-case basis		Case-by-case basis
Car Parking Incl. accessible	30+ spaces (sealed and/or unsealed)	40+ spaces (sealed and/or unsealed)		80+ spaces (sealed and/or unsealed)
Scoreboard	Case-by-case basis	Permanent manual		Permanent manual Electronic for main field only
Pavilion				
Change Room		40m ²		56m ²
Showers & Toilets		18m²		18m²
Umpires/Referees Room Incl. separate showers and toilets		20m²		20m²
First Aid Room		15m ²		15m ²
Public Toilets Incl. accessible		25m ²		35m ²
Community space		80m²		120m ²
Kitchen/Canteen		20m ²		25m ²
Storage One internal and one external		10m ²		10m ²
Office		12m ²		16m ²
Utility/Cleaners Room		8m ²		8m ²
Internal Servery		8m ²		8m²
External Covered Viewing Area Guide only		115m ²		152m²
Notes				

Backstop netting for senior play – 8m x 45.7m
Player dugouts – 2.4m high x 3.7m deep x 18.3m long
Batting cage – 3.7m high x 21.3m long x 4m wide. Bullpen to be used within batting cage
Home run fencing – 2.4m high
Side fencing – 90cm high

Bowls

Facility Component	Local	District	Municip al	Regional		
Playing Area						
Number of Greens		2+		3+		
Playing Surface		Turf or synthetic		Turf or synthetic		
		37-40m in length		37-40m in length		
Irrigation		Automated system		Automated system		
Drainage		Comprehensive system		Comprehensive system		
Supporting Infrastructu	re					
Flood Lighting Lighting to comply to Australian Standard 2560 Series		100 lux Lighting of at least one green		100 lux Lighting of at least one green		
Reserve Fencing		Provided		Provided		
Player Shelter		Permanent Minimum 1 per 3 rinks		Permanent Minimum 1 per 3 rinks		
Car Parking Incl. accessible		25+ spaces per green		25+ spaces per green (sealed)		
Scoreboards		1 per green – manual or electronic		1 per green – manual or electronic		
Maintenance Shed		Sizing based on playing surface and number of greens		Sizing based on playing surface and number of greens		
Pavilion						
Change Room Incl. shower and toilets		18m²		33m²		
Public Toilets Incl. accessible		16m2		18m2		
Community space		100m ²		150m ²		
Internal Servery		10m ²		10m ²		
Kitchen / Servery		20m²		25m ²		
Storage		20m²		20m ²		
Office		15m²		20m ²		
Utility/Cleaners Room		8m ²		8m²		
External Covered Viewing Area Guide only		86m²		122m²		

Notes

Council does not provide roofing over rinks. If desired by tenant clubs, external funding must be sourced to fund

Cricket

Facility Component	Local	District	Municipal	Regional
Playing Area	Local	District	Mullicipal	regional
Number of Ovals	1	2+		2+
	I	2+		2+
Oval Size A 5m run off from the boundary is required around the entire oval		120m x 120m ter for senior play		Min 150m x 150m
Irrigation	Case-by-case basis	Automated system		Automated system
Drainage	Case-by-case basis	Basic system		Comprehensive system
Turf Table		As required by affiliate association (4+ pitches)		Up to 10 pitches on turf table
Synthetic Cricket Pitch	1	1		
Turf Practice Wickets				6+ pitches
Synthetic Practice Nets	1+ lanes	3+ lanes		4+ lanes
Supporting Infrastructu	re			
Spectator Seating		Fixed Seating		Fixed seating for 100+ people
Oval Fencing		Chain mesh		Chain mesh
Reserve Fencing		Case-by-case basis		Case-by-case basis
Car Parking Incl. accessible	50+ spaces	75+ spaces		200+ spaces (sealed and/or unsealed)
Scoreboard		Ele	Permanent - n	
Curators' storage For machinery		60m ²		80m²
Pavilion				
Change Room		30m ²		45m ²
Showers & Toilets		25m ²		25m ²
Umpires Room Incl. separate showers and toilets		15m ²		15m ²
First Aid Room		15m ²		15m ²
Public Toilets Incl. accessible	15m ²	25m ²		35m ²
Community space		Up to 120m ²		Up to 150m ²
Kitchen/Canteen		15-25m ²		25m ²
Storage One internal and one external		30m ²		30m ²
Timekeeping / Scorers		15m ²		15m ²
Office		15m ²		15m ²
Utility/Cleaners Room		8m ²		8m²
Internal Servery		12m ²		12m ²
External Covered Viewing	48m ²	161m ²		217m ²
Area Guide only Notes				

Notes

Turf wickets - 20.12m x 3.05m Synthetic wickets - 28m x min 2.8m

Flood Lighting delivered on-site when co-located with AFL or Soccer but not for cricket use

Coach / Interchange Shelter delivered when co-located with AFL or Soccer

Gymnastics

Facility Component	Local	District	Municipal	Regional
Playing Area				
Floor Area (total)	400m ² + for training		800m ² – for training and basic competition	1500m ² – for training and basic competition
Sprung Floor			Permanent area 12m x 10m	Permanent area 12m x 12m
Programable Space	Limited capacity		Subject to p	rogram needs
Trampoline	Limited capacity		Permanent provision for basic trampolining*	Permanent provision for competition requirements*
Foam Pit			Permaner	nt provision
Equipment	No specific equipment type or number		Minimum one of all Gymnastics Australia specified apparatus	Permanent set up with elite level of all Gymnastics Australia specified apparatus
Supporting Infrastruct	ure			
Spectator Area	Circulation areas to be well clear of floor area		Circulation areas to well clear of floor area	Retractable elevated seating for170+ spectators
Roof Height	7m+		8m+	12m+
Storage Facility Component / I	Size determined by spaces required to pack away equipment		Size determined by space away equipment	ces required to pack

Facility Component / Indoor Stadium

Designed and delivered on a case-by-case basis.

Notes

Toilet to be located off the floor area.

*Provision for trampolining will be subject to a feasibility assessment and pathway requirements of the sport.

Hockey

Facility Component	Local	District	Municipal	Regional
Playing Area				
Number of Fields			1	2
Field Surface			Synthetic turf measuring	91.44m x 55m +
			5m run off at end of field	, 3m run off at side
Supporting Infrastructu	re			
Spectator Area			Seating for 20+	Seating for 50+
Flood Lighting			200 lux for training	350 lux for competition
Lighting to comply to Australian Standard 2560 Series			standard	standard with switching
Field Fencing			Chain mesh	for 200 lux for training Chain mesh
Behind Goal Fencing				shooting circle 4.5m high,
Berlind Goal Fericing			outside shooting circle 3	
			Tiered spectator seating	
Reserve Fencing			Case-by-case	Case-by-case
Car Parking			50+ spaces (sealed	75+ spaces (sealed
Incl. accessible			and/or unsealed)	and/or
				unsealed)
Scoreboard			Permanent - manual	
On a h / Internet and a			Electronic for main field	
Coach / Interchange Shelter			2 fixed shelters (each with	in 6 seat capacity)
Pavilion				
Change Room			37m ²	56m ²
Showers & Toilets			18m ²	18m²
Umpires/Referees Room			20m²	20m²
(Includes separate showers and toilets)				_
First Aid			1	5m ²
Public Toilets Incl. accessible			25m ²	35m ²
Community space			80m²	120m²
Kitchen/Canteen			20m ²	25m ²
Storage			10m ²	10m ²
One internal and one external Office			12m ²	16m ²
Utility/Cleaners Room			8m ²	8m ²
Internal Servery			12m ²	12m ²
External Covered Viewing				
Area Guide only			115m ²	152m²
Notes				

Notes

Fencing Height:

Sides – no spectator viewing 3.0m. Sides – spectator viewing min. 1.0m

To protect the bottom of the fencing from being damaged by the repeated impact of balls hitting it, kick boards (often 250mm – 300mm high) are normally fitted to the bottom of the fencing

Netball (outdoor)

Facility Component	Local	District	Municipal	Regional			
Playing Area							
Number of Courts		2	6+	8+			
Playing Surface		Acrylic Res	sin, asphalt, or concrete				
Court Size A 3.05m run off from the boundary is required around the entire court		30	.05m x 15.25m				
Supporting Infrastructu	re						
Spectator Area		Some fixed seating for 30+	Some fixed seating fo	r 50+			
Player Shelters			per court – 4.5m x 2m seat capacity				
Officials Shelter			per court 2.5m x 1.6m seat capacity				
Flood Lighting Lighting to comply to Australian Standard 2560.2.4		200 lux for competition	n with switching for train	ning 100 lux			
Court Fencing			Case-by-case basis				
Reserve Fencing			se-by-case basis				
Car Parking Incl. accessible		25+ spaces	50+ spaces	70+ spaces			
Scoreboard		Not required Permanent – manual Electronic for main/show courts only					
Pavilion				·			
Change Room		20m²	25m ²	25m ²			
Showers & Toilets		14m²	20m ²	20m²			
Umpires/Referees Room (Includes separate showers and toilets)		15m ² 20m ²		24m²			
First Aid Room			15m ²				
Public Toilets Incl. accessible			20m²				
Community space & Kitchenette		40m ² 100m ²					
Kitchen/Canteen		20m ² 30m					
Storage One Internal and one external		15m²	25m²	40m²			
Office		20m ² 25m ²					
Utility/Cleaners Room		8m²					
Internal Servery		12m²					
External Covered Viewing Area Guide only		44m²	20m ² per court	20m² per court			

Notes

Where netball courts are provided on district reserves to co-locate with Australian Rules Football clubs, it is assumed that some facility components (such as public toilets, kitchen, canteen, etc) will be provided within the reserve pavilion and should not be duplicated

Rugby League

Facility Component	Local	District	Municipal	Regional
Playing Area				
Number of Fields	1	2		2-3
Field size A 3m run off from the boundary is required around the entire oval		68m wide x 100m lo	ong plus 8m for	in-goal area
Irrigation	Case-by-case basis	Automated system		Automated system
Sub-surface drainage	Basic system	Comprehensive system		Comprehensive system
Supporting Infrastructure				
Spectator Area		Some fixed seating		Fixed seating, supplemented b terracing or embankments
Flood Lighting Lighting to comply to 'Australian Standard 2560 Series'	Case-by-case basis	100 lux for competition standard with switching for 50 lux for training		200 lux for competition standard with switching for 100 lux for training
Field Fencing		cing around main fields, vith other sports.		Chain mesh fencing around main fields
Reserve Fencing		Case-by-case basis. Full reserve fencing not preferred.		Case-by-case basis. Full reserve fencing not preferred.
Car Parking Incl. accessible	25+ spaces	50+ spaces		75+ spaces
Scoreboard		Permanent - manual Electronic for main pitch/es only		Permanent - manual Electronic for main pitch/es onl
Coach / Interchange Shelter	Case by case	2 fixed shelters 6 seat capacity each		2 fixed shelters 8 seat capacity each
Pavilion				
Change Room	30m ²	45m²		45m²
Showers & Toilets		18m ²		18m²
Umpires/Referee Room Incl. separate showers and toilets	15m ²	20m²		20m²
First Aid Room		15m ²		15m ²
Public Toilets Incl. accessible	10m ²	25m²		35m ²
Community space	80m²	Up to 120m ²		Up to 120m ²
Kitchen/Canteen	20m ²	30m ²		40m ²
Storage One internal and one external	10m ²	10m ²		20m ²
Timekeeping / Scorers	15m ²	15m ²		15m ²
Office	15m ²	15m ²		20m ²
Utility/Cleaners Room		8m ²		8m ²
Internal Servery		12m ²		12m ²
External Covered Viewing Area Guide only	80m ²	115m ²		152m ²

Goal post height - 16m high x 5.5 wide with crossbar 3m from ground level Public address system delivered for regional facilities only

Rugby Union

Facility Component	Local	District	Municipal	Regional
Playing Area				
Number of Fields		1-2		2+
Field Size		68m wide x 100m long plus 10m for each in goal area		68m wide x 100m long plus 10m for each in goal area
		A 3m run off from the boundary is required around the entire oval		A 5m run off from the boundary is required around the entire oval
Irrigation		Automated system		Automated system
Sub-surface drainage		Comprehensive system		Comprehensive system
Supporting Infrastructure	1			
Spectator Area		Some fixed seating		Fixed tiered, seating supplemented by terracing or embankments
Flood Lighting Lighting to comply to 'Australian Standard 2560 Series'		100 lux competition standard switching for 50 lux for training		200 lux competition standard switching for 100 lux for training
Field Fencing		Chain mesh fencing around main fields, unless shared with other sports.		Chain mesh fencing around main field
Reserve Fencing		Case-by-case basis. Full reserve fencing generally not preferred.		Case-by-case basis. Full reserve fencing generally not preferred.
Car Parking Incl. accessible		50+ spaces		75+ spaces
Scoreboard		Permanent - manual Electronic for main fields/s only		Permanent - manual Electronic for main fields/s only
Coach / Interchange Shelter		2 fixed shelters 6 seat capacity each		2 fixed shelters 8 seat capacity each
Pavilion	_			, ,
Change Room		45m²		45m²
Showers & Toilets		18m²		18m²
Umpires Room (Includes separate showers and toilets)		20m²		20m²
First Aid Room		15m ²		15m²
Public Toilets Incl. accessible		25m²		35m²
Community space		Up to 120m ²		Up to 120m ²
Kitchen/Canteen		30m ²		40m²
Storage One internal and one external		10m²		20m²
Timekeeping / Scorers		15m ²		15m ²
Office		15m ²		20m ²
Utility/Cleaners Room		8m²		8m²
Internal Servery		8m²		8m²
External Covered Viewing Area Guide only		115m ²		152m ²
Notes		1		

Strapping room considered for regional facilities only – 10m² Public address system considered for regional facilities only

Football (Soccer)

Playing Area	Facility Component	Local	District	Municipal	Regional	
Number of pitches	<u> </u>					
Incl. 3m nor off around the entire pitch Playing Surface Grass with full synthetic surfaces considered where required to cater for high usage lirigation Sub-surface drainage Sub-porting Infrastructure Speciator Area Some fixed seating Supporting Infrastructure Speciator Area Some fixed seating Some fixed seating Tiered seating to cater for 200 400 spectators Flood Lighting to comply to Australian Standard 2500 Series Pitch Fencing Chain mesh around main pitch, unless shared with other sports. Training fields to be unfenced players/referees races from spectators Reserve Fencing Behind goal fence/screen Incorporate safety screen/fencing behind goals min 21m x 6m up to 40m x 6m where required Car Parking Adm x 6m where required Car Parking Coach / Interchange Shelter Seasons Scoreboard Coach / Interchange Shelter Chain mesh around main pitch unless shared with other sports. Training fields to be unfenced players/referees races from spectators Reserve Fencing Reserve F	Number of pitches	1	3+	3+	4+	
Playing Surface Grass with full synthetic surfaces considered where required to cater for high usage intringation Automated system Comprehensive system Sub-surface drainage Basic system Comprehensive system Supporting Infrastructure Some fixed seating Tiered seating to cater for 200 400 spectators Spectator Area Some fixed seating Tiered seating to cater for 200 400 spectators Flood Lighting Lighting to camply to 'Australian Standard 2560 Series Flood Lighting Lighting to camply to 'Australian Standard 2560 Series Canary to 'Australian Standard 2560 Series Canary to 'Australian Standard 2560 Series Canary to 'Australian Standard 2560 Series Case-by-case basis - full perimeter fancing not preferred Incorporate safety screen/fencing behind goals min 21m x 6m up to 4 d/m x 6m where required Car Parking 30+	Pitch Size			105m x 68m		
Sub-surface drainage Basic system Comprehensive system	Incl. 3m run off around the entire pitch					
Sub-surface drainage Supporting Infrastructure Supporting Infrastructure Spectator Area Some fixed seating Some fixed seating Tiered seating to cater for 200 400 spectators 200 lux for training standard Suphing to comply to Australian Standard 2560 Services Training standard Lighting Lighting to comply to Australian Standard 2560 Services Training fields to be unfenced Training fields to be unfenced Spectators Reserve Fencing Case-by-case basis - full perimeter fencing not preferred Behind goal fence/screen Incorporate safety screen/fencing behind goals min 21m x 6m up to 40m x 6m where required Aum x 6m where required Scoreboard Permanent – manual. Electronic for main pitch/s only Coach / Interchange Shelter Seat capacity Pavilion Change Room 25m² Showers & Toilets 16m² 15m² 20m² 25m² 25m² 25m² 25m² 25m² 25m² 25m² 25		Grass with	full synthetic surfaces o			
Supporting Infrastructure Some fixed seating Tiered seating to cater for 200 400 spectators 400 spectators 100 lux for training standard 200 lux for competition standard (main pitch only) with sulpting to comply to 'Australian Standard 2560 Series 200 lux for competition standard (main pitch only) with surfician property to 'Australian Standard 2560 Chain mesh around main pitch, unless shared with other sports. Training fields to be unfenced players/referees races from spectators Case-by-case basis - full perimeter fencing not preferred Incorporate safety screen/fencing behind goals min 21m x 6m up to 40m x 6m where required 200 speciators 200 spaces (sealed and/or unsealed) 25m2 spaces 200 spaces (sealed and/or unsealed) 25m2 spaces 25m2 s	_					
Some fixed seating Tiered seating to cater for 200 400 speciators			Basic system	(Comprehensive system	
A00 spectators A00						
Lighting to comply to 'Australian Standard (main pitch only) with Series' Pitch Fencing Chain mesh around main pitch, unless shared with other sports. Training fields to be unfenced Pitch Fencing Case-by-case basis - full perimeter fencing not preferred Incorporate safety screen/fencing behind goals min 21m x 6m up to 40m x 6m where required Car Parking and Am x 6m where required Car Parking scoreboard Cacesible spaces Coach / Interchange Shelter Pavilion Chain mesh around main pitch and fencing to separate players/referees races from spectators Reserve Fencing Case-by-case basis - full perimeter fencing not preferred Incorporate safety screen/fencing behind goals min 21m x 6m up to 40m x 6m where required Car Parking 30+ 75+ spaces Coach / Interchange Shelter Permanent - manual. Electronic for main pitch/es only Coach / Interchange Shelter 2 fixed shelters 6 seat capacity Pavilion Chain mesh around main pitch and fencing to separate players/referees races from spectators Permanent - manual. Electronic for main pitch/es only Coach / Interchange Shelter 2 fixed shelters 6 seat capacity Pavilion Chain mesh around main pitch and fencing to separate players/referees races from spectators Permanent - manual. Electronic for main pitch/es only 2 fixed shelters 6 seat capacity Pavilion Chain mesh around main pitch and fencing to separate players/referees races from spectators Permanent - manual. Electronic for main pitch/es only 2 fixed shelters 6 seat capacity Permanent - manual. Electronic for main pitch/es only 2 fixed shelters 7 fixed shelters 8 seat capacity Pavilion 1 fime? 2 fixed shelters 8 seat capacity 2 fixed shelters 8 seat capacity 2 fixed shelters 8 seat capacity 2 fixed shelters 9 fixed shelters 9 fixed shelters 9 fixed shelters 1 fime? 2 fixed	•		Some fixed s	seating		
unless shared with other sports. Training fields to be unfenced Behind goal fence/screen Behind goal fence/screen Case-by-case basis - full perimeter fencing not preferred Incorporate safety screen/fencing behind goals min 21m x 6m up to 40m x 6m where required Car Parking Incl. Accessible Scoreboard Coach / Interchange Shelter Coach / Interchange Shelter Change Room Change Room Change Room Change Room Change Room Change Room Coach / Interchange Shelter Change Room	Flood Lighting Lighting to comply to 'Australian Standard 2560 Series'		100 lux for trainin	ng standard	standard (main pitch only) with	
Incorporate safety screen/fencing behind goals min 21m x 6m up to 40m x 6m where required	Pitch Fencing		unless shared with ot	her sports.	players/referees races from	
40m x 6m where required 200+ spaces (sealed and/or incl. Accessible spaces 200+ spaces (sealed and/or incl. Accessible spaces 200+ spaces (sealed and/or incl. Accessible spaces 2 fixed shelters 2 fixed shelters 6 seat capacity 8 seat capacity 9 seat capacity	Reserve Fencing					
Car Parking Incl. Accessible 30+ spaces 200+ spaces (sealed and/or unsealed) Scoreboard Permanent – manual. Electronic for main pitch/es only Coach / Interchange Shelter 2 fixed shelters 6 seat capacity 2 fixed shelters 8 seat capacity Pavilion 25m² 35m² 35m² Change Room 25m² 35m² 25m² Showers & Toilets 16m² 25m² 25m² Umpires Room 15m² 20m² 25m² Public Toilets 25m² 35m² 45m² Problic Toilets 25m² 35m² 45m² Incl. accessible 25m² 35m² 45m² Community space 100m² 120m² 160m² Kitchen/Canteen 20m² 25m² 30m² Storage 20m² 20m² 25m² One internal and one external 15m² 15m² 20m² Office 12m² 15m² 20m² Utility/Cleaners Room 8m² 15m² 15m² 15m² Internal Servery 12m²	Behind goal fence/screen				nind goals min 21m x 6m up to	
Permanent - manual. Electronic for main pitch/es only	Car Parking Incl. Accessible		75+ spac	ces	·	
Seat capacity Seat capacity Seat capacity Pavilion	Scoreboard		Permanent -	- manual. Electro	onic for main pitch/es only	
Pavilion Change Room 25m² 35m² 35m² Showers & Toilets 16m² 16m² 25m² Umpires Room 15m² 20m² 25m² Incl. separate showers/toilets 15m² 45m² First Aid Room 15m² 45m² Public Toilets 25m² 35m² 45m² Incl. accessible 100m² 120m² 160m² Community space 100m² 120m² 30m² Kitchen/Canteen 20m² 25m² 30m² Storage 20m² 20m² 25m² One internal and one external 15m² 15m² 15m² Timekeeping / Scorers 15m² 15m² 20m² Utility/Cleaners Room 8m² Internal Servery 12m² 15m² 15m² Internal Covered Viewing Area 123m² 139m² 175m²	Coach / Interchange Shelter		2 fixed shelters		2 fixed shelters	
Change Room 25m² 35m² 35m² Showers & Toilets 16m² 16m² 25m² Umpires Room 15m² 20m² 25m² Incl. separate showers/toilets 15m² 25m² First Aid Room 15m² 45m² Public Toilets 25m² 35m² 45m² Incl. accessible 100m² 120m² 160m² Community space 100m² 120m² 30m² Kitchen/Canteen 20m² 25m² 30m² Storage 20m² 20m² 25m² One internal and one external 15m² 15m² Timekeeping / Scorers 15m² 15m² 20m² Office 12m² 15m² 20m² Utility/Cleaners Room 8m² 15m² 15m² Internal Servery 12m² 15m² 15m² External Covered Viewing Area 123m² 139m² 175m²			6 seat capacity		8 seat capacity	
Showers & Toilets 16m² 16m² 25m² 2						
Umpires Room 15m² 20m² 25m² First Aid Room 15m² 45m² Public Toilets 25m² 35m² 45m² Incl. accessible 100m² 120m² 160m² Community space 100m² 120m² 30m² Kitchen/Canteen 20m² 25m² 30m² Storage 20m² 20m² 25m² One internal and one external 15m² 15m² Timekeeping / Scorers 15m² 15m² 20m² Office 12m² 15m² 20m² Utility/Cleaners Room 8m² 15m² 15m² Internal Servery 12m² 15m² 15m² External Covered Viewing Area 123m² 139m² 175m²	Change Room	25m ²	35m ²		35m ²	
Incl. separate showers/toilets	Showers & Toilets	16m ²	16m ²		25m ²	
Public Toilets 25m² 35m² 45m² Incl. accessible 100m² 120m² 160m² Kitchen/Canteen 20m² 25m² 30m² Storage 20m² 20m² 25m² One internal and one external 15m² 15m² 15m² Timekeeping / Scorers 15m² 15m² 20m² Office 12m² 15m² 20m² Utility/Cleaners Room 8m² 15m² 15m² Internal Servery 12m² 15m² 15m² External Covered Viewing Area 123m² 139m² 175m² Guide only 123m² 139m² 175m²	Incl. separate showers/toilets	15m ²	20m²		25m²	
Community space 100m² 120m² 160m² 16				15m ²		
Kitchen/Canteen 20m² 25m² 30m² Storage 20m² 20m² 25m² One internal and one external 15m² 15m² Timekeeping / Scorers 15m² 15m² Office 12m² 15m² Utility/Cleaners Room 8m² Internal Servery 12m² 15m² External Covered Viewing Area 123m² 139m² 175m² Guide only 175m² 175m²	Incl. accessible					
Storage 20m² 20m² 25m² One internal and one external 15m² 15m² 15m² Timekeeping / Scorers 15m² 15m² 20m² Office 12m² 15m² 20m² Utility/Cleaners Room 8m² 8m² Internal Servery 12m² 15m² 15m² External Covered Viewing Area Guide only 123m² 139m² 175m²	Community space	100m ²	120m ²		160m²	
One internal and one external 15m² 15m² 15m² Timekeeping / Scorers 15m² 15m² 20m² Office 12m² 15m² 20m² Utility/Cleaners Room 8m² 15m² 15m² Internal Servery 12m² 15m² 15m² External Covered Viewing Area 123m² 139m² 175m² Guide only 175m² 175m²	Kitchen/Canteen	20m²	25m ²		30m ²	
Office 12m² 15m² 20m² Utility/Cleaners Room 8m² Internal Servery 12m² 15m² 15m² External Covered Viewing Area Guide only 123m² 139m² 175m²	Storage One internal and one external				25m²	
Utility/Cleaners Room 8m² Internal Servery 12m² 15m² 15m² External Covered Viewing Area Guide only 123m² 139m² 175m²	Timekeeping / Scorers					
Internal Servery 12m ² 15m ² 15m ² External Covered Viewing Area 123m ² 139m ² 175m ² Guide only	Office	12m ²	15m ²		20m ²	
External Covered Viewing Area 123m ² 139m ² 175m ²	Utility/Cleaners Room			8m ²		
Guide only	Internal Servery			15m ²		
	External Covered Viewing Area Guide only Notes	123m²	139m²		175m ²	

Softball

Facility Component	Local	District	Municipal	Regional
Playing Area				
Number of Fields	1-2	2+		4+
Outfield	Grass	Grass		Grass
nfield	Clay/sand/dirt	Clay/sand/dirt		Clay/sand/dirt combo
	combo 'skinned'	combo 'skinned'		'skinned'
Backstop Netting	Temporary	Permanent		Permanent
Drainage		Basic level		Basic level
rrigation		Automated		Automated
Supporting Infrastructure				
Home Run Fence	Line marking only	Line marking or cyclone fencing		Cyclone fencing
Batting Cage	Optional	Required		Required
Player Dugouts	Bench	seating		Bench seating
Spectator Area	Some fixe	ed seating		Some fixed seating
Flood Lighting Lighting to comply to Australian Standard 2560 Series	Optional	100 lux Infield, 50 lux outfield for training only		100 lux Infield, 50 lux outfield for training only
Field Fencing	Case-by-case basis	Perimeter fencing		Perimeter fencing
Reserve Fencing	Case-by-	case basis		Case-by-case basis
Car Parking Incl. accessible	30+ spaces (off- street, sealed and/or unsealed)	40+ spaces (off-street, sealed and/or unsealed)		80+ spaces (off-street, sealed and/or unsealed)
Scoreboard	Optional	Permanent - manual		Permanent - manual Electronic for main field only
Pavilion				
Change Room		40m²		56m ²
Showers & Toilets		18m²		18m ²
Jmpires/Referees Room ncl. separate showers and toilets		20m ²		20m ²
First Aid Room		15m ²		15m²
Public Toilets ncl. accessible		25m²		35m²
Community space		80m²		120m ²
Kitchen/Canteen		20m²		25m ²
Storage One internal and one external		10m²		10m²
Office		12m ²		16m ²
Jtility/Cleaners Room		8m ²		8m ²
nternal Servery		8m ²		8m ²
External Covered Viewing Area Guide only		115m²		152m ²
Notes				

Tennis

Facility Component	Local	District	Municipal	Regional			
Playing Area							
Number of Courts		6-8 Courts	8-12 Courts	12+ Courts			
Court size Incl. 3.05m side run off and 5.49m end run off			10.97m wide x 23.77i	m long			
Playing Surface		Hard court or synthetic	surface for new installs				
		For renewal of existing	facilities, the existing su	ırface can be considered			
Supporting Infrastruct	ture						
Flood Lighting Lighting to comply to Australian Standard 2560 Series		350 lux for competition recreational use	n standard on all courts w	vith switching for 250 lux for			
Court Fencing In accordance with AS1725.2 Provision for Book a Court system			Required				
Reserve Fencing		Case-by-case basis	Case-by-case basis	Case-by-case basis			
Car Parking Incl. accessible		50+ spaces	75+ spaces	100+ spaces			
Pavilion							
Change Room Incl. showers and toilets		18m²	33m ²	33m²			
Public Toilet Incl. accessible		12m²	16m²	16m ²			
First Aid			15m ²				
Community space		80m ²	100m ²	120m ²			
Internal Servery		15m ²	15m ²	15m ²			
Kitchen / Canteen		20m²	25m²	25m ²			
Storage One internal and one external		10m²	10m ²	15m ²			
Office		15m ²	20m ²	25m ²			
Utility/Cleaners Room		8m ²					
External Covered Viewing Area Guide only		80m²	120m²	180m²			

Notes

Distance between unfenced courts 3.66m

Public toilet to be accessible for recreational users outside club hours

Provision of 'Book a Court' system infrastructure is preferred for new facilities and where appropriate for renewals

10. Indoor Sports Hierarchy

Indoor sports facility provision will be guided by the Framework, given the diversity of requirements for sports, each facility will have individual considerations that will be managed on a case-by-case basis. This will be in accordance with State Sporting Associations or National Sporting Organisations Guidelines and subject to Council funding.

The City of Casey Hierarchy of Indoor sports facilities is:

Local Facilities:

- Local level facilities are two to three basketball courts and other sports. These facilities primarily catering
 for training, however three court facilities could be used for competition purposes. Local level facilities are
 generally built and maintained to a basic standard and typically are joint-use facilities within school
 grounds.
- Examples within in Casey are Timbarra School and Narre Warren South P-12 College.

Municipal Facilities:

- Municipal facilities will generally service a City-wide catchment (or large parts thereof) due to their level of speciality, uniqueness or standard of competition being played. Municipal facility provision will generally be to a higher standard than is available at local level facilities in order to accommodate a higher level of competition or activity.
- Municipal facilities will consist of between four and six courts and ancillary sports.
- Municipal gymnastics permanent setup facility.
- Table Tennis 8-12 courts and elevated seating platform.
- Badminton 8-12 courts and seating (up to 100 spectators)
- An example within Casey is the Olive Road Netball Stadium.

Regional Facilities:

- Regional level facilities are likely to service a catchment which extends beyond the City of Casey municipal boundary due to their level of specialisation, uniqueness or standard of competition being played.
- Regional level facilities stadiums will consist of between eight ten courts and be built and maintained to a
 premier standard based on the needs of specific sports / activities (Netball will be a mix of indoor / outdoor
 courts). These facilities will cater for training and competition for teams in elite level competitions and may
 have the capacity to host State standard fixtures, therefore competition standard lighting and show court
 provision to be considered as part of each regional indoor stadium development such as Casey Stadium.

11. Relevant Forms

Infrastructure Strategy	https://www.casey.vic.gov.au/policies-strategies/infrastructure-strategy- 2021-25
Open Space Strategy	https://www.casey.vic.gov.au/policies-strategies/open-space-strategy
Environmentally Sustainable Design (ESD) Building Policy	https://www.casey.vic.gov.au/policies-strategies/environmentally-sustainable-design-building-policy

12. Document History

Date approved	Change Type	Version	Next Review Date
TBC 2023	Document name change, refreshed Council branding and updates to document information and provision tables.	2.0	TBC 2027
16 December 2014	Minor updates	1.1	31 December 2016
16 June 2009	Minor review ahead of schedule	1.0 (revision)	16 June 2013
27 July 2008	Endorsement of document	1.0	27 July 2012

Contact the City of Casey:

Web: casey.vic.gov.au

Email: caseycc@casey.vic.gov.au

Phone: 03 9705 5200

Post: PO Box 1000, Narre Warren VIC 3805

NRS: 133 677 (for the deaf, hearing or speech impaired)

Customer Service Centres:

Narre Warren: Bunjil Place, Patrick Northeast Drive Cranbourne: Cranbourne Park Shopping Centre

ABN: 43 320 295 742

